

1410 North Hilton, Boise, ID 83706-1255, (208) 373-0502

C.L. "Butch" Otter, Governor Toni Hardesty, Director

NOTICE OF OPPORTUNITY TO REQUEST A PUBLIC COMMENT PERIOD ON A PERMIT APPLICATION AND PROPOSED PERMIT TO CONSTRUCT

In compliance with Section 58.01.01.209, <u>Rules for the Control of Air Pollution in Idaho</u>, notice is hereby given that the University of Idaho, Moscow, has applied to the Department of Environmental Quality (DEQ) for a permit to construct, P-2008.0079, to permit an existing inactive boiler, update the ambient air quality modeling analysis, and convert the existing state Tier II operating permit and permit to construct to a PTC. The facility, which is a university, is located at 1108 W. Sixth St., Moscow, Idaho. A public comment period on the proposed permit will be provided if a written request is submitted on or before June 6, 2008, and directed to Shelley Lundstedt, Department of Environmental Quality, 1410 N. Hilton, Boise, Idaho 83706-1255, or shelley.lundstedt@deq.idaho.gov, or via www.deq.idaho.gov. Please reference the company name and permit number when sending the request.

The permit application materials submitted by the facility are available for public review on the DEQ website. All information regarding this project from this notice forward will only be available at www.deq.idaho.gov.

You may elect to sign on to DEQ's list serve and receive electronic information automatically at http://www.deq.idaho.gov/Applications/NewsApp/checkCommentCache.cfm

DATED this 22nd day of May, 2008.

Shelley Lundstedt Air Quality Division